



# SF155B Emergency Station Specification Sheet

IL513  
Section E  
Rev. 9 - 11/2005



**SF155B Emergency Station**  
(pull cord not shown)

## ARCHITECTS' AND ENGINEERS' SPECIFICATION

Emergency station shall be TekTone® SF155B or approved equal. Operation of emergency signals shall be accomplished by a short pull on the nylon cord or by pulling down on the red lever marked EMERGENCY.

The red call-placed indicator shall flash to assure the patient that the call has been placed. Switching mechanism shall consist of a reliable DPDT switch.

The SF155B shall be UL® 1069 Listed.

## FEATURES

The SF155B Emergency Station is for use in any location where activation of an emergency signal is required. All electronic components are mounted on a circuit board. The specially designed and mounted LED is completely sealed in plastic.

Due to the flexibility of its design, it may be used as a pull-cord emergency station, or a pull-down activated emergency station. The pull cord supplied may be used for emergency call activation, or if desired, the large 1.1" red pull-down lever may be used.

- UL® 1069 Listed
- Simple and flexible operation
- Call-placed indicator
- Call cancel at point of origin
- Flame-retardant (UL® 94V-0) plastic faceplate
- 1.1" wide pull down lever

## SPECIFICATIONS

Dimensions:	Height:	4.5" (114 mm)
	Width:	2.8125" (72 mm)
	Depth:	1.625" (41 mm)
	Projects:	0.6875" (17 mm)
		from mounting surface (including pull-down lever)
Construction:	Flame-retardant (UL® 94V-0) plastic faceplate. Switch and electronic components are circuit board mounted.	
Connections:	Plug-in connectors.	
Housing:	Single gang ring (IH357) with square box (IH358), or exact equal.	

## REQUIRED COMPONENTS

Tek-CARE® NC110, NC150  
or NC200 Nurse Call System

[www.tektone.NET](http://www.tektone.NET)

277 Industrial Park Road • Franklin, NC 28734 • Phone (828) 524-9967 • Fax (828) 524-9968

Email: [tektone@tektone.net](mailto:tektone@tektone.net) • Technical Assistance Email: [teksupt@tektone.net](mailto:teksupt@tektone.net)

TekTone®'s quality system is registered by UL® to the ISO 9001:2000 standard. (File #A10766.)